



INNOVATIVE 7" COLOUR CONTROL PANEL WITH MULTI-TOUCH FUNCTIONS

ADVANCED FUNCTIONALITY IN A COMPACT SIZE

TRUE OPTICAL PRINT QUALITY UP TO REAL 1200 x 1200 DPI

HIGH PAPER CAPACITY UP TO 1,650 SHEETS

ENHANCED USER AUTHENTICATION AND SECURITY SETTINGS

OUTSTANDING ENERGY SAVINGS THANKS TO REDUCED POWER CONSUMPTION

RECYCLED MATERIALS FOR REDUCED ENVIRONMENTAL IMPACT



7" multi-touch colour control panel with 10-key pad (optional)



Optional off-line stapler



Direct printing and scanning with USB Memory Stick. Direct Printing of Microsoft Office formats (OOXML)

### SEAMLESS OPERABILITY WITH A HIGHLY INNOVATIVE COLOUR CONTROL PANEL

A large 7-inch adjustable touch panel display provides seamless and intuitive usability with Smartphone-like tap and flick control, making operability easier and more comfortable.

### HIGH PERFORMANCE IN A SMALL SIZE

Great efficiency, functionality and convenience are a real all-in-one solution with the new Olivetti **d-Color MF3300** and **d-Color MF3800**.

More than just compact A4 multifunctionals, these outstanding devices possess print speeds of 33 and 38 ppm, respectively, in full colour, and are introduced with a multitude of functions and features enhancing and improving any office environment; which is what you would normally expect from the latest A3 models but available here in small A4 multifunctionals with the unbeatable combination of speed and reliability in colour and mono.

Users will benefit from significant cost savings thanks to the special care which has been devoted to the machines' environmental footprint and low energy consumption. **The combination of beautiful design and top features of these products helps to bring more efficiency to your document workflow in today's busy office.**



## ENHANCED USER AUTHENTICATION AND SECURITY SETTINGS

Enjoy excellent security against unauthorised use with the d-Color MF3300 and d-Color MF3800 thanks to the standard server-less main unit authentication for up to 1,000 department codes.

Beyond being ideal for small offices, security settings may be upgraded with the optional IC card authentication. Easy, quick and safe.

## OUTSTANDING ENERGY SAVINGS THANKS TO REDUCED POWER CONSUMPTION

Real low TEC (Typical Energy Consumption) values offer excellent energy savings which easily meet the Energy Star standard.

A mere 1.9-watt power consumption during Sleep mode, contributing to save energy and money.

## RECYCLED MATERIALS FOR REDUCED ENVIRONMENTAL IMPACT

An effective use of recycled materials, such as PC/PET for the outer surface and bioplastic for the panel buttons, further reduce environmental impact.


## MAX 1,650-SHEET PAPER CAPACITY

Increase the standard paper capacity of 650 sheets to a maximum of 1,650 by adding up to two optional 500 sheet paper feed units, and boost office productivity even further by installing an optional offline stapler.

Shown with one optional Paper Feed unit (PF-P13)



## d-COLOR MF3300 AND d-COLOR MF3800 CONFIGURATION



# TECHNICAL SPECIFICATIONS

## SYSTEM SPECIFICATIONS

<b>System Memory</b>	1 GB (standard)
<b>System Hard Disk</b>	320 GB (standard)
<b>Interface</b>	10-Base-T/100-Base-TX/1,000-Base-T Ethernet; USB 2.0
<b>Network Protocols</b>	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP; HTTP; HTTPS
<b>Automatic Document Feeder (Standard)</b>	Up to 50 originals; A5-A4; 50-128 g/m <sup>2</sup> ; Reverse Automatic Document Feeder
<b>Printable Paper Size</b>	A6-A4, customised paper sizes
<b>Printable Paper Weight</b>	60-210 g/m <sup>2</sup>
<b>Paper Input Capacity</b>	Standard: 650 sheets Max.: 1,650 sheets
<b>Tray 1</b>	550 sheets, A6-A4, 60-210 g/m <sup>2</sup>
<b>Tray 2 (Optional)</b>	500 sheets, A4, 60-90 g/m <sup>2</sup>
<b>Tray 3 (Optional)</b>	500 sheets, A4, 60-90 g/m <sup>2</sup>
<b>Manual Bypass</b>	100 sheets, A6-A4, custom sizes, 60-210 g/m <sup>2</sup>
<b>Automatic Duplexing (Standard)</b>	A4; 60-210 g/m <sup>2</sup>
<b>Output Capacity</b>	Max.: 250 sheets
<b>Stapling (Optional)</b>	Max.: 20 sheets (off-line stapling)
<b>Power consumption</b>	220-240 V/50/60 Hz, Less than 1.7 kW
<b>System Dimensions (WxDxH)</b>	555 x 584 x 603 mm
<b>System Weight</b>	Approx. 47.5 kg

## PRINTER

<b>Print Resolution</b>	600 x 600 dpi 1,200 x 1,200 dpi (reduced speed)
<b>Page Description Language</b>	PCL 5e/c Emulation, PCL XL Ver. 3.0 Emulation, PostScript 3 Emulation (3016), XPS Ver. 1.0, OpenXPS, PDF 1.7
<b>Operating Systems</b>	Windows XP (32/64), Vista (32/64), 7 (32/64) 8 (32/64), Windows Server 2003 (32/64), Server 2003 R2 (32/64), Server 2008 (32/64), Server 2008 R, Server 2012, Macintosh OS X Ver. 10.2.8 or later, Linux
<b>Printer Fonts</b>	80 PCL Latin; 137 PostScript 3 Emulation Latin
<b>Print Functions</b>	Direct print of TIFF, XPS, PDF and OOXML (DOCX, XLSX, PPTX); secure print; combination; n-up; poster; booklet page order; watermark

## SCANNER

<b>Scan Speed (Mono/Colour)</b>	Up to 35 ipm via ADF
<b>Scan Resolution</b>	Max.: 600 x 600 dpi
<b>Scan Modes</b>	Scan-to-eMail, Scan-to-SMB, Scan-to-FTP, Scan-to-HDD, Scan-to-USB, Scan-to-WebDAV Network TWAIN scan
<b>File Formats</b>	JPEG; TIFF; PDF; PDF/A (1b); Compact PDF; XPS
<b>Scan Destinations</b>	2,100 (single + group); LDAP support
<b>Scan Functions</b>	Up to 400 job programmes

## FAX (OPTIONAL)

<b>Fax Standard</b>	Super G3
<b>Fax Transmission</b>	Analogue, i-fax Max.: 600 x 600 dpi (ultra-fine)
<b>Fax Resolution</b>	MH; MR; MMR; JBIG
<b>Fax Compression</b>	Up to 33.6 Kbps
<b>Fax Modem</b>	2,100 (single + group)
<b>Fax Destinations</b>	Time shift; PC-Fax; fax forwarding;
<b>Fax Functions</b>	Up to 400 programme dials

## COPIER

<b>Copying Process</b>	Electrostatic laser copy, indirect
<b>Copy/Print Speed A4 (Mono/Colour)</b>	Up to 33 ppm: d-Color MF3300 Up to 38 ppm: d-Color MF3800
<b>Auto Duplex Speed A4 (Mono/Colour)</b>	Up to 33 ppm: d-Color MF3300 Up to 38 ppm: d-Color MF3800
<b>1<sup>st</sup> Copy Out Time (Mono/Colour)</b>	9.0 sec. d-Color MF3300/ 7.2 sec. d-Color MF3800
<b>Warm-up Time</b>	10.0 sec. d-Color MF3300/ 8.1 sec. d-Color MF 3800
<b>Copy Resolution</b>	Approx. 30 sec.
<b>Gradation</b>	600 x 600 dpi 256 gradations
<b>Multi-copy</b>	1-999
<b>Original Format</b>	Max. A4
<b>Magnification</b>	25-400% in 0.1% steps; auto-zooming
<b>Copy Functions</b>	Electronic sorting; multi-job; adjustments (contrast, sharpness, image density); proof copy; interrupt mode; colour mode; separate scan; sort/group; original selection; ID card copy; 2-in-1; 4-in-1

## SYSTEM FEATURES

<b>Security</b>	ISO 15408 EAL3; IP filtering and port blocking; SSL2; SSL3 and TSL 1.0 network communication; IPsec support; IEEE 802.1 x support; user authentication; secure print; hard disk overwrite (8 standard types); hard disk data encryption, copy protection (print only) Up to 1,000 user accounts; Active Directory support ID card authentication optional
<b>Accounting</b>	

## OPTIONS

<b>PF-P13 Paper Tray</b>	A4, 500 sheets, 60-90 g/m <sup>2</sup>
<b>DK-P03 Copier Desk</b>	Provides storage space for print media, etc.
<b>FS-P03 Off-line Stapler</b>	20-sheet corner stapling
<b>KP-101 10-Key Pad</b>	For number entry instead of using touchscreen
<b>WT-P02 Working Table</b>	Off-line stapler or IC Card reader placement
<b>FK-512 Fax Board</b>	Super G3 fax, digital fax functionality
<b>MK-738 Fax Mount kit</b>	Installation kit for fax board
<b>ID Card Reader</b>	USB CRv2 (B4801)
<b>MK-P02 Mount Kit</b>	Installation kit for ID card reader (integrated behind front cover)
<b>LK-106 Barcode Fonts</b>	Supports native Barcode printing
<b>LK-107 Unicode Fonts</b>	Supports native Unicode printing
<b>LK-108 OCR A and B Fonts</b>	Supports native OCR A and B font printing
<b>LK-111 ThinPrint® Client</b>	Print data compression for reduced network impact
<b>SX-BR-4600 Wireless LAN</b>	Wireless LAN to network connector

Product performances are referred to as appropriate use under optimal conditions. The registered trademarks are the property of their respective owners.

The support and availability of the listed specifications and functionalities varies depending upon operating systems, applications, network protocols as well as network and system configurations. All information relating to specification and accessories is subject to change without notice. Olivetti does not guarantee that any prices or specifications mentioned will be error-free. The d-Color MF3300 / d-Color MF3800 are distributed by Olivetti S.p.A. (04/14) - Code: 29217-00